



Fire Telephone System



GST-FT8WN

Fire Telephone Panel

- 8 Zone addressable fire telephone center.
- 2-way voice communication
- Networkable up to 8 Fire Telephone panels
- Call divert to the main panel
- Operator can select single or group call
- Operator can ring outstations and fixed handsets
- Call panel to panel
- Up to 10 communication points can be connected to each zone using socket jack
- Network cable monitored
- Communication line monitored
- Lockable Glazed Door
- Built-in Sounder and Mute button
- Wall mounted

Technical Specifications

- Operating Voltage: 24VDC
- Standby Current: 150mA
- Maximum Alarm Current: 750mA
- Operating Environment:
 - Temperature 0~+ 40°C
 - Relative Humidity 95%
- Dimension: 400mm x 280mm x 100mm



GST-FT24N

Fire Telephone Panel

- 24 Zone addressable fire telephone center.
- 2-way voice communication
- Networkable up to 8 Fire Telephone panels
- Call divert to the main panel
- Automatic record of conversation
- Operator can select single or group call
- Operator can ring outstations and fixed handsets
- Call panel to panel
- Up to 10 communication points can be connected to each zone using socket jack
- Network cable monitored
- Optional fiber optic network
- Communication line monitored
- Built-in Sounder and mute button
- 19"/3U standard rack mount

Technical Specifications

- Operating Voltage: 24VDC
- Standby Current: 200mA
- Maximum Alarm Current: 1 Ampere
- Operating Environment:
 - Temperature 0~+ 40°C
 - Relative Humidity 95%
- Dimension: 482.5mm x 132.5mm x 225mm



P-9911(S)



P-9911(F)



P-9911(J)



P-9911(M)

Speaker Fire Telephone outstation

- Hand-free extension of Fire Telephone System
- Compatible with all GST conventional fire telephone handsets in same zone
- Dimension: 172mm x 106mm x 70mm

Fixed Fire Telephone Handset

- Fixed extension of Fire Telephone System
- Open box and lift receiver to communicate with central control
- Compatible with all GST conventional fire telephone handsets in same zone
- Dimension: 234mm x 146mm x 60mm

Fire Telephone Jack Socket

- Simply insert mobile handset into jack to establish communications with the control centre
- Compatible with all GST conventional fire telephone handsets in same zone
- Dimension: 85mm x 85mm x 12mm

Fire Telephone Mobile Handset

- Mobile handset compatible with GST fire telephone jacks
- Dimension: 210mm x 50mm x 50mm